



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2014 - June 30, 2015

Filing Confirmation Number: 0006846571

Filing Deadline: July 15, 2015

FRN: 0019349547

Filing Date: 06/18/2015 02:21 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: ZTEUSA Inc.

Brand Names: ZTE

PO Box:

Street Address: 2425 North Central Expressway, Suite 600

City: Richardson

State: TX

Zip Code: 75080

Contact Name: Gary Hu

Contact Phone: (469) 939-7899

Contact Fax:

Contact Email: gary.hu@zteusa.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.zteusa.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC ratings have been clearly labeled on the box and user manual. The ratings are also listed on company website.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 22

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 22

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	16	100%					16
CDMA	7	100%					7
WCDMA	15	100%					15
LTE	13	100%					13

Handset 1: ZTE N9130

Handset Maker

ZTE

Handset Model Name

N9130

FCC ID

SRQ-ZTEN9130

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.5 GHz LTE

Dates

This handset model was offered from: 01/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 11/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: ZTE N9516

Handset Maker

ZTE

Handset Model Name

N9516

FCC ID

SRQ-ZTEN9516

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2100 MHz LTE

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 08/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: ZTE Z667T

Handset Maker

ZTE

Handset Model Name

Z667T

FCC ID

SRQ-Z667T

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/25/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: ZTE Z752C

Handset Maker

ZTE

Handset Model Name

Z752C

FCC ID

SRQ-Z752C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 12/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: ZTE Z753G

Handset Maker

ZTE

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 12/02/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/02/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: ZTE Z755**Handset Maker**

ZTE

Handset Model Name

Z755

FCC ID

SRQ-Z755

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 03/15 to 03/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: ZTE Z791

Handset Maker

ZTE

Handset Model Name

Z791

FCC ID

SRQ-Z791

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/27/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/27/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: ZTE Z791G

Handset Maker

ZTE

Handset Model Name

Z791G

FCC ID

SRQ-Z791

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: ZTE Z792

Handset Maker

ZTE

Handset Model Name

Z792

FCC ID

SRQ-Z792

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: ZTE Z793C

Handset Maker

ZTE

Handset Model Name

Z793C

FCC ID

SRQ-Z793C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 05/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: ZTE Z812

Handset Maker

ZTE

Handset Model Name

Z812

FCC ID

SRQ-Z812

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: ZTE Z818L

Handset Maker

ZTE

Handset Model Name

Z818L

FCC ID

SRQ-Z818L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA

850 MHz LTE
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: ZTE Z819L

Handset Maker

ZTE

Handset Model Name

Z819L

FCC ID

SRQ-Z819L

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2100 MHz LTE

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 05/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: ZTE Z820

Handset Maker

ZTE

Handset Model Name

Z820

FCC ID

SRQ-Z820

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 05/13/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/13/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: ZTE Z826

Handset Maker

ZTE

Handset Model Name

Z826

FCC ID

SRQ-Z826

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2100 MHz LTE
2600 MHz LTE

Dates

This handset model was offered from: 01/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 11/12/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/12/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: ZTE Z830

Handset Maker

ZTE

Handset Model Name

Z830

FCC ID

SRQ-Z830

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz LTE

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: ZTE Z933

Handset Maker

ZTE

Handset Model Name

Z933

FCC ID

SRQ-Z933

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/17/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/17/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 18: ZTE Z936L

Handset Maker

ZTE

Handset Model Name

Z936L

FCC ID

SRQ-Z936L

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2100 MHz LTE

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 19: ZTE Z955L

Handset Maker

ZTE

Handset Model Name

Z955L

FCC ID

SRQ-Z955L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 20: ZTE Z970

Handset Maker

ZTE

Handset Model Name

Z970

FCC ID

SRQ-Z970

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/23/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/23/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 21: ZTE Z980L

Handset Maker

ZTE

Handset Model Name

Z980L

FCC ID

SRQ-Z980L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 22: ZTE Z987

Handset Maker

ZTE

Handset Model Name

Z987

FCC ID

SRQ-Z987

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz LTE
900 MHz GSM
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2100 MHz GSM
2100 MHz CDMA
2100 MHz LTE

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 10/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Gary Hu Wireless Engineering Director
06/18/2015 02:21 PM